

From: [Coltrain, Katrina](#)
To: [Todd Downham](#)
Cc: [Patrick Appel \(pappel@eaest.com\)](mailto:pappel@eaest.com)
Subject: RE: draft access for wilcox process area
Date: Wednesday, November 21, 2018 11:22:00 AM

Thanks Todd.

Access for the wells.

I am also thinking that we will need to talk with (b) (6). Although the access agreement has a catch-all (see below), the GW well will be permanent in the interim. I think we need to discuss the location and make sure this does not interfere with their use of the property.

As an alternative, we could put the well on the Falcon property, but I understand that setting up a meeting with the owner is not easy.

Number 6 on the access agreement: Other actions necessary to determine the nature, extent and potential threat to human health and the environment from contamination at the property or the removal of such threat at or originating from the property.

Pat, until we work through the access form for the process area and with the property across the street, please begin well installation activities on the Lorraine process area.

Katrina Higgins-Coltrain
 Remedial Project Manager
 US EPA Region 6
 LA/OK/NM Section (6SF-RL)
 1445 Ross Avenue
 Dallas, Texas 75202
 214-665-8143

From: Todd Downham <Todd.Downham@deq.ok.gov>
Sent: Wednesday, November 21, 2018 10:51 AM
To: Coltrain, Katrina <coltrain.katrina@epa.gov>
Subject: RE: draft access for wilcox process area
 Looks good to me

From: Coltrain, Katrina [<mailto:coltrain.katrina@epa.gov>]
Sent: Wednesday, November 21, 2018 8:10 AM
To: Todd Downham
Subject: draft access for wilcox process area
 Hi Todd, thoughts? Revisions?
 Katrina Higgins-Coltrain
 Remedial Project Manager
 US EPA Region 6
 LA/OK/NM Section (6SF-RL)
 1445 Ross Avenue
 Dallas, Texas 75202
 214-665-8143



9723620